

**Notice of Allowability**

Application No.

09/822,835

Applicant(s)

SHIBATA, KOJI

Examiner

THUAN T. NGUYEN

Art Unit

2685

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to \_\_\_\_.
2. ☒ The allowed claim(s) is/are 1,3-7 and 9-21.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_.

## **DETAILED ACTION**

### ***Remarks***

1. Claims 2 and 8 were canceled; and new claims 13-21 are added.

### ***Allowable Subject Matter***

2. Claims 1, 3-7, and 9-21 are allowed.

### ***Reasons for Allowance***

3. The following is an examiner's statement of reasons for allowance:

The prior art of record issued to Rehban fails to teach or suggest a broadcast receiver which detects the reception status of radio waves from other stations without deteriorating the reception status of a currently-receiving station, in digital broadcasting where consecutive time series data is transmitted. The amount of time-based interleave applied to the currently-receiving data is determined so that the reception status of the radio waves from other stations is detected while the reception of the currently-receiving broadcast station is interrupted within the extent where missing data can be recovered by such interleave and error correction processing on demodulation. Particularly, Rehban is silent on the step of comprising "a signal analyzing part extracts a control signal from a received signal and that the control signal indicates whether or not the received signal is interleaved along a time axis" as cited in claims 1 and 7; and for claim 13, Rehban also does not suggest varying a duration that the control circuitry interrupts a reception of a first broadcast signal based on the characteristics of the first broadcast signal.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 2685

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

***Conclusion***

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Yokoyama et al, Easley et al., and Audebert et al. (PTO-892 attached) disclose systems related broadcast disruption and control method.

5. **Any response to this action should be mailed to:**

Commissioner of Patents and Trademarks

Washington, D.C. 20231

**or faxed to the New Central Fax number:**

(571) 273-8300, (for Technology Center 2600 only)

Hand deliveries must be made to Customer Service Window,

Randolph Building, 401 Dulany Street, Alexandria, VA 22314.


6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Thuan Nguyen whose telephone number is (571) 272-7895. The examiner can normally be reached on Monday-Friday from 9:30 AM to 7:00 PM, with alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban, can be reached at (571) 272-7899.

Art Unit: 2685

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tony T. Nguyen  
Art Unit 2685  
March 03, 2006

  
EDWARD F. URBAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600